

	Hits	Search Text	DBs
1	1910	(345/156,784-786,672,682,684,687).CCLS.	USPAT; US-PGPUB
2	0	((345/156,784-786,672,682,684,687).CCLS.) and ((primary adj input adj device) mouse) and ((grphical adj3 input adj3 device) (scroll adj3 bar) slider) and (display near5 (secondary adj3 input adj3 device)) and ((input adj3 parameter) range valuue)	USPAT; US-PGPUB
3	0	((345/156,784-786,672,682,684,687).CCLS.) and ((primary adj input adj device) mouse) and ((grphical adj3 input adj3 device) (scroll adj3 bar) slider) and (display near5 (secondary adj3 input adj3 device)) and ((input adj3 parameter) range value)	USPAT; US-PGPUB
4	0	((primary adj input adj device) mouse) and ((grphical adj3 input adj3 device) (scroll adj3 bar) slider) and (display near5 (secondary adj3 input adj3 device)) and ((input adj3 parameter) range value)	USPAT; US-PGPUB
5	3	((primary adj input adj device) mouse) and ((graphical adj3 input adj3 device) (scroll adj3 bar) slider) and (secondary adj3 input adj3 device) and ((input adj3 parameter) range value)	USPAT; US-PGPUB

	Hits	Search Text	DBs
6	0	((primary adj input adj device) mouse) and ((graphical adj3 input adj3 device) (scroll adj3 bar) slider) and (secondary adj3 input adj3 device) and ((input adj3 parameter) range value)	EPO; JPO; DERWENT; IBM_TDB
7	0	((primary adj input adj device)) and ((graphical adj3 input adj3 device)) and (secondary adj3 input adj3 device) and ((input adj3 parameter))	EPO; JPO; DERWENT; IBM_TDB
8	0	((primary adj input adj device)) and ((graphical adj3 input adj3 device)) and (secondary adj3 input adj3 device) and ((input adj3 parameter))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	2969	(mouse) and ((scroll near5 bar) slider) and (keyboard) and ((input near5 parameter) range value)	USPAT; US-PGPUB
10	285	(mouse) and ((scroll near5 bar) slider) and ((keyboard) with ((input near5 parameter) range value))	USPAT; US-PGPUB
11	78	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input near5 parameter) range value))	USPAT; US-PGPUB
12	78	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input adj parameter) range value))	USPAT; US-PGPUB

	Hits	Search Text	DBs
13	9	((mouse) with ((scroll near5 bar) slider)) with ((keyboard) with ((input adj parameter) range value))	USPAT; US-PGPUB
14	15	(mouse) and ((scroll near5 bar) slider) and ((keyboard) with ((input near5 parameter) range value)) and (compare near5 (values parameters))	USPAT; US-PGPUB
15	0	(mouse) and ((scroll near5 bar) slider) and ((keyboard) with ((input near5 parameter) range value)) and (compare near3 number near5(value parameter))	USPAT; US-PGPUB
16	0	(page adj selection adj scroll adj bar) and (page adj number)	USPAT; US-PGPUB
17	124	(word adj proces\$5 adj program) and (page adj number)	USPAT; US-PGPUB
18	29	((word adj proces\$5 adj program) and (page adj number)) and scroll adj bar	USPAT; US-PGPUB
19	4	((word adj proces\$5 adj program) and (page adj number)) and page near4 scroll adj bar	USPAT; US-PGPUB
20	0	(query adj parameter) and (database adj analys\$3)	USPAT; US-PGPUB
21	15	(query near3 parameter) and (database near3 analys\$3)	USPAT; US-PGPUB
22	0	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input near5 parameter) range value)) and (multiple adj3 slider\$3)	USPAT; US-PGPUB

	Hits	Search Text	DBs
23	2	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input near5 parameter) range value)) and (multiple adj3 parameter)	USPAT; US-PGPUB
24	2	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input near5 parameter) range value)) and (multiple adj3 parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	5	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input near5 parameter) range value)) and (multiple adj3 values)	USPAT; US-PGPUB
26	5	((mouse) with ((scroll near5 bar) slider)) and ((keyboard) with ((input near5 parameter) range value)) and (multiple adj3 values)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	0	((mouse) with (multiple near5 slider)) and ((keyboard) with ((input near5 parameter) range value)) and (multiple adj3 values)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	0	((mouse) with (multiple near5 slider)) and ((keyboard) with ((input near5 parameter) range value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	2	((mouse) and (multiple near5 sliders)) and ((keyboard) with ((input near5 parameter) range value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	4	5751285.URPN.	USPAT

	Hits	Search Text	DBs
31	4	("4896291" "5265246" "5418549" "5491781").PN.	USPAT